

Mary Concklin
Extension Educator Emerita, UConn
Owner, Raspberry Knoll Farm, North Windham, CT

Considerations

Marketing

- ✓ Pick-your-own
 - ~ Summer
 - ~ Fall
- ✓ Wholesale
- ✓ Retail

<u>Labor</u>

✓ Pruning

Support system

✓ Permanent vs temporary

Winter injury potential

✓ Summer vs fall

Summer Fruiting Brambles

- ✓ Floricane producing
- Canes are biennial
- ✓ Red, purple & black raspberries
 - ~ Prelude, Moutere, Taylor, Encore, Boyne, Killarney, Latham, Nova
 - ~ Royalty
 - ~ Jewel, Bristol, Mac Black, Tali
- ✓ Blackberries







Erect Blackberries

- Thorny: Illini Hardy, Kiowa, Darrow, Shawnee, Choctaw

- <u>Thornless:</u> Arapaho, Dirksen, Navaho, Caddo,

Sweet Arc Ponca,

Trailing & Semi-erect Blackberries

- -Trailing: Chester, Hull
- <u>Semi-erect:</u> Natchez, Black Satin, Triple Crown



Photos: Mary Concklin



Summer Bearing Red Raspberries		
Year 1 Cane: Primocanes	Year 2 Cane: Floricanes	
Vegetative	Fruiting	
No crop	Single crop on those canes	
Thin out canes: 4-6 canes/square foot of row	Remove all fruiting canes after harvest. Thin 1 st year canes (see Year 1 column)	

Summer Bearing Blackberries, Black & Purple Raspberries	
Year 1 Cane: Primocanes	Year 2 Cane: Floricanes
Vegetative	Fruiting
No crop	Single crop on those canes
Tip canes just above top wire during summer	Tip 1 st year vegetative canes
Thin out canes: 4-5 canes/crown Head laterals to 2-3 buds	Remove all fruiting canes after harvest. Thin 1 st year canes (see Year 1 column)



Photos: David Handley, UMaine





Support systems



Photo: Marvin Pritts,



Photo: Mary Concklin



Photo: Mary Concklin







Photo USDA



Photo: Marvin Pritts, Cornell

Late-Summer/Fall fruiting brambles

Red raspberries

~ Heritage, Autumn Britton, Caroline, Josephine, Himbo Top, Imara, Kwanza, Kweli, Mapema, Nantahala, Polana, Polka, Jaclyn, Joan J, **Prelude**

Black raspberries

~ Niwot

Yellow raspberries

~ Anne, Kiwigold, Fall Gold, Double Gold

Blackberries

~ Prime Jan, Prime Jim, Prime Ark 45, Prime Ark Freedom, Prime Ark Traveler





Fall Bearing Brambles: Primocane bearing – Single Crop		
Year 1 Cane: Primocanes		
Fruiting		
Primary crop		
Mow/cut all canes down to ground		



UMass Archives

Temporary support system





Photos: Mary Concklin

Fall Bearing Brambles: Primocane bearing – Double Crop	
Year 1 Cane: Primocanes	Year 2 Cane
Fruiting	Fruiting
Primary crop	2 nd crop
After harvest: thin out the canes, cut off	Remove all fruiting canes immediately after
cane tops just below crop	harvest.

Permanent support




Diagram Purdue University



Befor

Afte r



Photos: Mary



