



About Roots Farm




- Mike & Kelli Roberts, full-time farmers
- Zone 7A
- Certified organic
- ~1.5 acres of vegetables
- Started farming here in 2010
- 6 moveable high tunnels + 1 seedling house
- Over 300 bed-ft planted to ginger & turmeric annually
- Yields of \$24-39/bed-ft, respectively



Strategies for a productive crop

- Quality seed
- Presprouting
- Planting (spacing, timing)
- Hilling
- Harvest
- Marketing & Sales



Quality seed

- Seed source
- Keep rhizomes warm
- Cutting seed & curing



Presprouting





Presprouting Chamber

- Ginger ~ 72F; Turmeric ~ 77F
- Space heaters & fans
- Water every other day
- Takes 1-2 months
- Bring to light once up

Planting



Timing


- Late May / early June
- Soil temp => ~ 60F

Trenching

Wheel hoe attachment

Spacing

- Single row, 30" bed
- Ginger 4-5" (1 hand)
- Turmeric 5-6" (1 hand + 1 finger)



Hilling


- As needed for cultivation
- Use collinear or onion hoe
- Aim for minimum of 3x per season
- Similar to potatoes but slightly less



Harvest - checking in



- Ginger begins late August
 Aim for a minimum of 1.0 lb per bed-ft
- Turmeric begins late SeptemberAim for 1.5 lbs per bed-ft



Harvest



Look at market demand & previous yields in #/bed-ft to calculate feet to dig so as not to overshoot

Consider weeks left until frost

Harvest (cont.)





Trim, wash, make it pretty...



* Efficiently, and so that it sells itself



Trim, wash, make it pretty...





^{*} Turmeric needs an extra spray step before trimming, then final wash

Retail

- Display
- Pre-sales in ¼# or greater increments
- Recipes & consumer education
- Turmeric is slower to sell, but interest has increased over the years as customers become more familiar with it
- Yields \$24-39/bed-ft for a relatively low labor crop



Questions?

Roots Farm www.rootsfamilyfarm.org

Follow us on Instagram: @rootsfamilyfarm

217 East Road Tiverton, RI 02878

kelli@roots-farm.com







